



കേരള സംസ്ഥാന ആരോഗ്യ വകുപ്പ്

സാന്നിധ്യ സർട്ടിഫിക്കറ്റ്

- (1) SGD Circular No. 66562/Rc3/12/LSGD/dt. 10.01.2013
(2) Service Act-no. O.M. 3/30892/12DHS/Dt. 06.06.2014
(3) no. 16203/A-R (12)1/2013/TVM/dt. 08.04.2014

ചൊവ്വന്നൂർ പ്രാഥമികാഭാഗ്യ കേന്ദ്രം
തീയതി 9/06/2026

FOR THE YEAR
2026-27

തൃശൂർ ജില്ലയിൽ ചൊവ്വന്നൂർ ഗ്രാമപഞ്ചായത്തിൽ പട്ടണാം - വെള്ളിക്കുന്ന് പ്രദേശത്ത് പ്രവർത്തിച്ചുവരുന്ന ഇക്വിൻ ബസ് സ്ഥലം ഫിനിഷ് ചെയ്തതിനെത്തുടർന്ന് 30/05/2026 തീയതിയിൽ ഈ സ്ഥാപനത്തിൽ ഹെൽത്ത് ഇൻസ്പെക്ഷർ പരിശോധിച്ചു. ടി യൂണിറ്റ് കുതിരക്കുതിരിയിൽ പ്രവർത്തിക്കുന്ന V/173, 173B, 173C, 173D, 173E സർവ്വേ നമ്പർ 173E-ന്റെ സ്റ്റേഷൻ നമ്പർ 173E ആയതിനാൽ അതിന്റെ ഉടമസ്ഥതയിലാണ്. യൂണിറ്റും പരിസരവും പരിശോധിച്ചപ്പോൾ സാനിറ്ററി കണ്ടിഷൻസ് തൃപ്തികരമെന്ന് ബോധ്യമായി. ചൊവ്വന്നൂർ ഗ്രാമപഞ്ചായത്തിൽ നിന്ന് ലൈസൻസിനുവേണ്ടി താഴെ പറയുന്ന വ്യവസ്ഥകൾക്കും നിബന്ധനകൾക്കും വിധേയമായി സ്ഥാപനത്തിന് സാനിറ്ററി സർട്ടിഫിക്കറ്റ് അനുവദിക്കുന്നു.

1. പൊതുജനാരോഗ്യ ശ്ലേമുണ്ടാകാത്ത രീതിയിൽ സ്ഥാപനം പ്രവർത്തിക്കണം.
2. മാലിന്യം പൊതുജനാരോഗ്യത്തിന് ഹാനികരമാകാത്ത വിധത്തിൽ ശാസ്ത്രീയമായി നീക്കം ചെയ്യണം.
3. ജലശ്രോതസ്സും മറ്റും സാംക്രമിക രോഗങ്ങളുണ്ടാകാത്ത വിധത്തിൽ സംരക്ഷിക്കണം.
4. ഈ സ്ഥാപനത്തിൽ നിന്നും ജലം, വായു, ശബ്ദം മലിനീകരണം ഉണ്ടാക്കുന്ന പ്രവർത്തനം പാടില്ല.
5. സ്ഥാപനവും പരിസരവും സാംക്രമിക രോഗങ്ങൾ ഉണ്ടാക്കാത്ത രീതിയിൽ സംരക്ഷിക്കണം.
6. ജീവനക്കാർ സാംക്രമിക രോഗങ്ങളിൽ നിന്നും മുക്തരായിരിക്കേണ്ടതാണ്.
7. 'പുകയില മുക്തം' സൈൻബോർഡ് പ്രദർശിപ്പിക്കേണ്ടതും, സ്ഥാപനം പുകവലിമുക്തമെന്ന് ഉറപ്പുവരുത്തേണ്ടതുമാണ്.
8. അന്യ സംസ്ഥാന തൊഴിലാളികൾ സ്ഥാപനത്തിലുണ്ടെങ്കിൽ അടുത്തുള്ള പ്രാഥമികാരോഗ്യ കേന്ദ്രത്തിലെ മെഡിക്കൽ ഓഫീസറെ അറിയിക്കേണ്ടതാണ്.
9. പ്ലാസ്റ്റിക് മാലിന്യം പരിസരത്ത് കത്തിക്കുകയോ വലിച്ചെറിയുകയോ ചെയ്യരുത്. പ്ലാസ്റ്റിക് മാലിന്യം ശേഖരിച്ച് ശാസ്ത്രീയമായി സംസ്കരിക്കുക.
10. പൊതുജനാരോഗ്യ നിയമം (MPH ACT/TCPH ACT) പഞ്ചായത്തിന്റേ നിയമവും ചട്ടങ്ങളും മറ്റ് ബന്ധപ്പെട്ട നിയമങ്ങളും നടപടിക്രമങ്ങളും പാലിച്ചിരിക്കണം.
11. ഭാവിയിൽ ഏതെങ്കിലും തരത്തിലുള്ള വികസന പ്രവർത്തനങ്ങൾ, ഈ ആഫീസിൽ നിന്നും ലഭിക്കുന്ന അനുമതിക്ക് വിധേയമായിരിക്കും.
12. മുകളിൽ പറഞ്ഞ നിർദ്ദേശങ്ങളിൽ ഏതെങ്കിലും പാലിക്കാതെ വന്നാൽ മറ്റൊരു അറിയിപ്പുകൂടാതെ സാനിറ്ററി നിർദ്ദേശിക്കറ്റ് റദ്ദുചെയ്യുന്നതാണ്.





KERALA WATER AUTHORITY

QUALITY CONTROL SUB DISTRICT LABORATORY

MULLASSERY, PVARATTY, THRISSUR-680507

Telephone No - 0487-2997763, E-mail - kwa.qcsd.pvty@gmail.com

NABL Recognized Sub Divisional Level Government Drinking Water Testing laboratory

(Certificate No: NABL - DWT-00982)

TEST REPORT

Test Report. No.: KWA/QCSDL/PVTY-TSR002103/2026

Report Date :03/08/2026

BLOOMING BUDS BETHANIA ENGLISH SCHOOL MARATHAMCODE PO 680601 MOB: 7559969881			1. Date of Receipt : 29/07/2026		
			2. Sampling done by : The Customer		
			3. UID No of Sample: KWA/QCSDL/PVTY-TSR002103/2026		
			4. Source of Sample: OPEN WELL		
			5. Sample condition : Fit for requested tests		
			6. Name of sample : Drinking Water		
			7. Purpose of test : Commercial		
			8. Sample Quantity : 2 Litre		
			9. Test Performing Dates		
			From: 29/07/2026		To: 29/07/2026
SL No	Characteristics	Unit	Test Method	Acceptable limits as per IS 10500 - 2012	Result
1	Turbidity	(NTU)	IS 3025 (part 10) - 2023 Nephelometric method	1	1.39
2	pH at 25°C		IS 3025 (part 11) - 2022 Electrometric method	6.5 to 8.5	6.45
3	Total Hardness (as Ca CO ₃)	(mg/litre)	IS 3025 (part 21)-2009 (R. 2019) EDTA titration method	200	40.64
4	Chloride (as Cl)	(mg/litre)	IS 3025 (part 32) - 1988 (R. 2019) Argentometric titration	250	14.78

Remarks:-

NB:- The results stated above related only to the sample(s) submitted for testing. This test certificate shall not be reproduced except in full without the written approval of the Laboratory.

Reviewed by:

* End of Report *

Authorized By:

Issue Date 10/01/2023	Issue No:2	KWA/QCSDL/PVTY-TSR/R.No:6
Rev.No: 00	Rev Date:00	Page 1 of 3



H. Skani CS



MANAGER
 BLOOMING BUDS BETHANIA ENGLISH SCHOOL
 SENIOR SECONDARY
 VELLITHIRUTHY, MARATHAMCODE-680604
 CBSE AFF.NO : 930307

Technical Manager,
 Quality Control Sub District Laboratory
 Kerala Water Authority
 Mullassery, Pavaratty - 680 507



PRINCIPAL
 BLOOMING BUDS BETHANIA ENGLISH SCHOOL
 SENIOR SECONDARY
 VELLITHIRUTHY, MARATHAMCODE-680604
 CBSE AFF.No: 930307



KERALA WATER AUTHORITY

QUALITY CONTROL SUB DISTRICT LABORATORY

MULLASSERY, PAVARATTY, THRISSUR-680507

Telephone No - 0487-2997763, E-mail - kwa.qcSDL.pvty@gmail.com

Test Report

Test Report. No : KWA/QCSDL/PVTY-TSR002103/2026

Report Date :03/08/2026

Customer Name & Address			1. Date of Receipt : 29/07/2026		
BLOOMING BUDS BETHANIA ENGLISH SCHOOL MARATHANCODE PO 680601 MOB: 7559969881			2. Sampling done by : The Customer		
			3. UID No.of Sample : KWA/QCSDL/PVTY-TSR002103/2026		
			4. Source of Sample : OPEN WELL		
			5. Sample condition : Fit for requested tests		
			6. Name of sample : Drinking Water		
			7. Purpose of test : Commercial		
			8. Sample Quantity : 2 Litre		
			9. Test Performing Dates		
			From : 29/07/2026 To: 29/07/2026		
Sl. No.	Characteristics	Unit	Test Method	Acceptable limits as per IS 10500 - 2012	Result
1	Electrical Conductivity	(micro mhos/cm)	IS 3025 (part 14) - 2013 (R. 2019) Electrometric method	-	95.71
2	Iron (as Fe)	(mg/litre)	IS 3025 (part 53) - 2024 1,10 Phenanthroline method	1.0	0.48
3	Nitrate (as NO ₃)	(mg/litre)	Phenol Disulphonic Acid Method.	45	11.72

Remarks:-

NB:- The results stated above related only to the sample(s) submitted for testing. This test certificate shall not be reproduced except in full without the written approval of the Laboratory.

Reviewed by:



* End of Report *

Authorized By:

Technical Manager,
Quality Control Sub-District Laboratory
Kerala Water Authority
Mullassery, Pavaratty - 680 507

Issue Date: 10/01/2023	Issue No:2	KWA/QCSDL/PVTY-TSR/R.NO:6
Rev.No: 00	Rev Date: 00	Page 2 of 3

A. F. S. S. S. S. S.



MANAGER
BLOOMING BUDS BETHANIA ENGLISH SCHOOL
SENIOR SECONDARY
VELLITHIRUTHY, MARATHAMCODE-680604
CBSE AFF.NO : 930307



PRINCIPAL
BLOOMING BUDS BETHANIA ENGLISH SCHOOL
SENIOR SECONDARY
VELLITHIRUTHY, MARATHAMCODE-680604
CBSE AFF.No: 930307



KERALA WATER AUTHORITY

QUALITY CONTROL SUB DISTRICT LABORATORY

MULLASSERY, PAVARATTY, THRISSUR-680507

Telephone No - 0487-2997763, E-mail -kwa.qcsd.pvty@gmail.com

Test Report

Test Report. No : KWA/QCSDL/PVTY-TSR002320/2026

Report Date:19/08/2026

Customer Name & Address BLOOMING BUDS BETHANIA ENGLISH SCHOOL MARATHANCODE PO 680601 MOB: 7559969881			1. Date of Receipt : 14/08/2026	
			2. Sampling done by : The Customer	
			3. UID No of Sample: KWA/QCSDL/PVTY-TSR002320/2026	
			4. Source of Sample : OPEN WELL	
			5. Sample Condition : Fit for requested tests	
			6. Name of Sample : Drinking Water	
			7. Purpose of test : Commercial	
			8. Sample Quantity :100ml	
			9. Test Performing Dates	
			From : 17/08/2026	To: 18/08/2026
			Test Method	Result
1	Coliforms	Shall not be detected / 100ml	IS 15185 : 2016 ISO 9308 - I : 2014	100
2	E. Coli	Shall not be detected/ 100ml	IS 15185 : 2016 ISO 9308 - I : 2014	NIL

Remarks:-

NB:- The results stated above related only to the sample(s) submitted for testing. This test certificate shall not be reproduced except in full without the written approval of the Laboratory.



Technical Manager,
Quality Control Sub District Laboratory,
Kerala Water Authority
Mullassery, Pavaratty - 680 507

* End of Report *

Issue Date: 10/04/2023	Issue No:2	KWA/QCSDL/PVTY-TSR/R.NO:6
Rev.No: 00	Rev Date: 00	Page 3 of 3

+ To: Slanice
MANAGER
BLOOMING BUDS BETHANIA ENGLISH SCHOOL
MARATHANCODE-680604
CBSE AFF.NO.



PRINCIPAL
BLOOMING BUDS BETHANIA ENGLISH SCHOOL
SENIOR SECONDARY
VELLITHIRUTHY, MARATHAMCODE-680604
CBSE AFF.No: 930307